

Monday 09 May 2022

To: Site Engineer, Lendlease Tweed Valley Hospital Project **Environmental Engineer & Director**

mob: office: (02) 66-215-123 fax: (02) 66-218-123 ABN: 82 106 758 123

Re: Surface Water Quality Monitoring Results and Report for the Tweed Valley Hospital Project Reporting period: 23 March 2022 to 18 April 2022

1.0 INTRODUCTION

Ecoteam is engaged to undertake monthly and event-based surface water monitoring on behalf of Lendlease Building, as part of the main works for the Tweed Valley Hospital Project. This report presents results from the 34th round of monthly sampling. This report satisfies the requirements of the SSD2 conditions. No controlled or uncontrolled releases from the sediment basins occurred during the reporting period.

2.0 PROJECT AIMS AND SAMPLING OBJECTIVES

The surface water monitoring objectives for the site are to detect changes during construction in receiving water quality resulting from the project. Stormwater discharges potentially contain increased sediment loads, nutrients, total and dissolved metals, hydrocarbons, or other contaminants such as pesticides. Baseline water quality data was performed on the 19 and 26 November and 19 December 2018 to record water quality conditions under the existing land use prior to construction (Lendlease Building, 2019).

3.0 WEATHER CONDITIONS

Total rainfall in the period prior to sampling (*23 March 2022 to 18 April 2022*) was 456.2 mm with the highest 24-hour rainfall occurring on 29 March, being 260 mm (Kingscliff BOM Station 058137).

4.0 SAMPLING LOCATIONS

Samples were collected from four of the five monthly sampling Sites (001 – 003 and 005). Site 004 has been infilled and has been removed from ongoing sampling rounds. Control samples were also collected and analysed (013 – 015). Sample codes and corresponding sampling locations are shown in **Table 1** and **Figure 1**. Site photos taken on the day of sampling are included in **Appendix A.** During sampling, Site 002 was noted to be flowing North. Therefore, Site 002 will be assessed as a downstream sample site.

Sample Codes	Sampling Site Name	Short Name	WQOs							
001	West Creek (Downstream)	WC	Estuarine							
002	North West Creek (Variable)	NWC	Estuarine							
003	East Creek (Upstream)	EC	Freshwater							
004	Dam (Downstream)	Dam	Freshwater							
005	Dam Drain (Downstream)	DD	Freshwater							
013	Trip Blank	Trip	NA							
014	Field Blank	Field	NA							
015	Field Duplicate	Duplicate	NA							

Table 1. Monthly sampling sites, control samples, sample codes and applicable WQOs.



natural solutions for environmental challenges




Figure 1. Map of monthly sampling sites (Source: Google Earth).



ral solutions for environmental challenges

5.0 SAMPLING METHODOLOGY

Sampling was undertaken by **Example 1** on Wednesday 19 April 2022. Weather was fine and sunny. In situ physico-chemical measurements were collected using an AquaTROLL multi-parameter probe and Turbidity was measured using a Turbimeter Plus turbidity meter. Oil and grease were visually assessed. The calibration certificate for the SmarTROLL is included as **Appendix B**. The Turbimeter Plus is calibrated before each sampling round. Water quality samples were collected at 300 mm below the surface where possible. Samples were collected from the bank using an extension pole.

Samples were filtered and preserved on site where necessary, stored on ice and couriered over night to the NATA accredited Envirolab in Sydney. Trip blank samples (013) were sent from Envirolab and transported to all sites, then returned to Envirolab with the field samples. The field blank samples (014) were assessed at Site 002. Duplicate samples (015) were collected at Site 002 and were filtered and preserved as required. Field and trip blanks were filled with deionized water and do not represent water quality from the site. A full list of analytes for the project are included in **Appendix C**.

6.0 ASSESSMENT CRITERIA

Water quality results were compared against the Water Quality Objectives (WQO) in the following guidelines.

- *NSW Water Quality Objectives for the Tweed River Catchment for Aquatic Ecosystems* (Tweed 2006) Trigger criteria for estuaries.
- Australian and New Zealand guidelines for fresh and marine water quality (ANZECC 2000) Trigger values for freshwater (level of protection 95% species).

7.0 RESULTS

7.1 Physico-chemical Results

In situ physico-chemical sampling results with comparison to WQOs are shown in **Table 2**. There were no surface sheens visible at any sites, therefore oil and grease were not present.

		Water Objective	es and Res	ults			
Analyte	Units	Estuary	Fresh Water	WC 001 (Down)	NWC 002 (Down)	EC 003 (Up)	DD 005 (Down)
pН		7.0-8.5	6.5-8.5	6.35	6.7	6.4	5.87
Turbidity	NTU	0.5-10	6.0-50	17.2	17.3	2.82	1.48
Electrical Conductivity (EC)	μS/cm	125- 2,200	125- 2,200	524.03	449.56	182.81	165.54
Dissolved Oxygen (DO)	% Saturation	80-110	85-110	49.98	28.07	37.26	24.7
Temperature	°C	N/A	N/A	20.95	21.54	22.12	21.76
Oxidation Reduction Potential (ORP)	mV	N/A	N/A	172.2	92.9	184.7	118.4

Table 2. Results of physico-chemical parameters. Results above guidelines are highlighted.



atural solutions for environmental challenges

When compared to the WQOs for freshwater and estuaries:

- pH was outside of the WQO ranges at all sampling sites this sampling round.
- Turbidity was outside of the WQO ranges at all sampling sites this sampling round.
- EC was within the WQO ranges at all sampling sites this sampling round.
- DO concentrations were outside of the expected range at all sampling sites this sampling round. DO was outside the range at comparison sites in background sampling.

7.2 Laboratory Results

Ammonia, Chlorophyll-a, Filterable Reactive Phosphorous (FRP), Oxides of Nitrogen (NOx), Total Nitrogen and Total Phosphorus (TP) were above the WQOs for some sample sites. Aluminium was also outside WQOs. Parameters which exceeded the WQOs are shown in **Table 3**.

The chain of custody form is included in **Appendix D**. A summary of all lab results with comparison to WQOs is included as **Appendix E**. A full copy of the laboratory results is included as **Appendix F**.

Table 3. Parameters in exceedance of the trigger criteria for sampling conducted. Results above guidelines are highlighted.

		Water (Objec (WQ	tives							
Analyte	Unit	Estuary	Fresh Water	WC 001 (Down)	NWC 002 (Down)	EC 003 (Up)	DD 005 (Down)	013 Trip	014 Field	015 Duplicate
Ammonia	mg/L	0.015	0.02	0.088	0.21	<0.005	0.014	<0.005	<0.005	0.22
Chlorophyll-a	mg/m ³	4	5	4	4	<2	<2	<2	<2	<2
Filterable Reactive Phosphorus	mg/L	0.005	0.02	<0.005	0.005	0.01	<0.005	<0.005	<0.005	0.006
Oxides of Nitrogen	mg/L	0.015	0.040	0.2	0.55	<0.005	3.5	<0.005	<0.005	0.80
Total Nitrogen	mg/L	0.30	0.35	0.7	1.8	0.9	5.1	<0.1	<0.1	1.8
Total Phosphorus	mg/L	0.030	0.025	0.06	0.04	0.03	<0.02	<0.02	<0.02	0.06
Aluminium	µg/L	N/A	55	20	90	260	20	<10	<10	70

When compared to the WQOs for Freshwater and Estuaries:

- Ammonia was above the WQOs at Sites 001 and 002. Ammonia was above the WQOs at comparison sites in background sampling. Ammonia has decreased at Sites 001, 002 and 005, and remained the same at Site 003 when compared to the previous month.
- Chlorophyll-a was above the WQOs at Sites 001 and 002. Chlorophyll-a results were varied across comparison sites in background sampling. Chlorophyll-a has increased at Sites 001 and 002 and remained the same at Sites 003 and 005.
- FRP was above the WQOs at Site 002. FRP concentrations decreased at Site 003, increased at Site 002, and remained the same at Sites 001 and 005 when compared to last month. FRP results varied across comparison sites in background sampling though were lowest at Site 005.
- NOx was above the WQOs criteria at Sites 001, 002 and 005. NOx has increased at Sites 001 and 005, decreased at Sites 002, and 003 when compared to the previous month.



- TN was above the WQOs criteria at all sites. TN has decreased at Sites 001, 002 and 003, and increased at Site 005 when compared to last month. TN was above the WQOs at comparison sites in baseline sampling.
- TP was above the WQOs at Sites 001, 002 and 003. TP has increased at Sites 001 and 003, decreased at Site 005, and remained the same at Site 002 when compared to the previous month. TP was above the WQOs at comparison sites in baseline sampling.
- Aluminium was above the WQO at Site 003. This is similar to the previous month. Aluminium has
 decreased at Sites 001, 003 and 005, and increased at Site 002, when compared to last month.
 Aluminium has been observed at both upstream and downstream sampling sites during past
 sampling rounds.
- All other metals were within estuarine and freshwater criteria this month.
- Demeton was analysed and returned non-detectable results.
- TRH (C₁₀-C₄₀) was not detected at any sample site.

8.0 Quality Assurance and Quality Control


- Parameters analysed in the Trip Blank (013) and Field Blank (014) were below the laboratory detection limits for all analytes.
- The Duplicate Sample (015) was collected at Site 002 and is within acceptable limits for all analytes. The laboratory QA/QC is included in the results in **Appendix F**. All laboratory QA/QC was within acceptance criteria. Based on the above, the results are considered acceptable for the purposes of the project.

9.0 Summary of Results and Recommendations

- The month had very high rainfall.
- Nutrients (Ammonia, NOx, TN, TP and FRP) were high and exceeded some water quality parameters for some sites. This includes upstream and downstream sites in past sampling events. Exceedances in nutrients are therefore considered of natural occurrence.
- Aluminium exceeded WQOs at Site 003 during the month. Metals have been present in upstream and downstream sampling sites in previous sampling rounds. Elevation in metals may be due to pH and redox changes, microbial mineralisation and naturally occurring sediment transportation. Changes in metal concentrations are also likely following heavy rainfall events.
- Elevated nutrients and metals have been observed at all sampling locations including upstream and downstream sites in previous months and during baseline sampling. Therefore, based on the assessment of the March/April water quality data, the Tweed Valley Hospital Project construction activities are unlikely to be adversely impacting the downstream water quality. As such, the current soil and erosion controls implemented on site are considered to be effective.

Kind regards,

Environmental Engineer & Director





Appendix A. Site Photos





Appendix B. Calibration certificate for AquaTROLL

_										
	Thermo scien	Fisher			-			STRUME		
	Thermo Fisher Scient ABN 52 05 5 Caribbe Scoresby Phone: 1 30 Fax: 03 97	8 390 917 an Drive /IC 3179 10 735 295	Customer: Address:	Ecotechno 13 Ewing s Lismore N	st	y Australia P⊺ 2480	'Y Ltd			
			Attention:							
	Make: Model: Serial No:	In-Situ AquaTroll 400 741219 / 746352	Lab.ID/Asse Customer O/ Location:		063			libration: 05-	05-2021 2022 2105240050	
ş	Service and Safe	ty Checks		Pass/Fail		Check and	l Adjust		20 .25	Pass/Fail
6	Consult operator r	egarding performan	ce/problems	Pass]	Probes, lea	ads and con	nectors		Pass
7	Check general op	eration, note additio	nal problems	Pass	1	Keypad / u	ser controls			Pass
E	Electrical safety if	applicable to AS/NZ	S 3760:2003	N/A	1	Power sup	ply / battery	voltage and cond	ition	Pass
1	nitialization Proce	dure	·····	Pass	1	Probe(s) p	erformance	(response slow or	acceptable)	Acceptable
1	nstrument Conditi	ion	· · · · · · · · · · · · · · · · · · ·	Pass		Internal an	d external c	leaning		Pass
				Calibration/ Ac	- cur	acy Tests		*****		
	Standard Type	Serial Number (if applicable)	Standard Value ± Variation	Displayed Value		Standard Value ± Variation	Displayed Value	Standard Value ± Variation	Displayed Value	Pass/ Fail
1.	/ pH	20945	7.00 ± 0.02	7.00	1	4.00 ± 0.02	4.00			Pass
-	′ mV (pH)		0.0 +/- 30	-7.7	1	175.5 +/- 30	163.1			Pass
-	Slope (pH)		-59.1 +/- 3	-56.93						Pass
-	DO	745063 🥠	8.3mg/L @21.5oC	8.27mg/L @21.66oC		0.0	0.03			Pass
	ISE									
[-	ORP	20945	234.5mV @22.0oC	234.5 @22.1oC						Pass

Reference Instruments Used										
Make	Model / Part Number	Serial / Batch Number	Expiry / Reference #							
Thermo Scientific	ECBU4BTC1LIT	450/01	Nov 2023							
Thermo Scientific	ECBU7BTC1LIT	450/02	Nov 2023							
FLUKE	179 True RMS multimeter	91610338	Feb 2022							
Thermo Scientific	ECCON1413BT	270/01	Jun 2023							
ACR	Zobell A & B (0608/0609)	362211 (A) & 357174 (B)	Oct 2021 (A & B)							
TPS	Sodium Sulphite for Zero DO	10640	Aug 2021							

General Comments and Recommendations on Instrument Condition, Location Details and Parts Used in Service

@22.0oC

1413us/cm

22.5

Instrument inspected and noted operation. Refilled pH reference filling solution and replaced reference junction. Cleaned sensors and instrument. Calibrated individual sensor parameters. DO Sensor slope of 1.070123. ORP sensor offset of 5.5mV. Conductivity cell constant:0.979

@22.1oC

1413us/cm

22.47

Issued Maintenance Kit and Reference junction kit.

Engineer's Name

Date 27th May 2021

Issue 1

v

¥

Conductivity

TDS Temp C 746352

746352

Oct 06 This document must not be reproduced except in full

G0232 Page 1 of 1

Pass

Pass



Appendix C. Full List of Sampling Analytes

3.7 Proposed Surface Water Quality Sampling Parameters

A summary of the proposed sampling analytes is provided below:

Field

- pH
- Turbidity
- Electrical Conductivity (EC)
- Dissolved Oxygen (DO)
- Temperature
- Oxidation Reduction Potential (ORP)
- Oil and grease

Laboratory

- Total Suspended Solids (TSS)
- Total Dissolved Solids (TDS)
- Major Cations & Hardness
- Ammonia
- Chlorophyll-a
- Filterable Reactive Phosphorus
- Nitrate
- Oxides of Nitrogen
- Total Nitrogen
- Total Phosphorus
- Aluminium (pH > 6.5) filtered
- Arsenic (filtered)
- Boron (filtered)
- Cadmium (filtered)
- Chromium (filtered)
- Copper (filtered)
- Cobalt (filtered)
- Lead (filtered)
- Manganese (filtered)
- Mercury (filtered)

- Nickel (filtered)
- Selenium (filtered)
- Silver (filtered)
- Zinc (filtered)
- Benzene
- Toluene
- Ethylbenzene
- Xylene Total
- Naphthalene
- Total Recoverable Hydrocarbons (TRH)
- Organochlorine Pesticides (OCP)
 - 4.4'-DDE
 - o 4.4'-DDT
 - o Aldrin
 - g-BHC (Lindane)
 - Chlordane
 - o Dieldrin
 - Endosulfan
 Endrin
 - Endrin
 Heptachlor
 - HeptachlorToxaphene
 - Organophosphorus Pesticides (OPP)
 - Azinphos-methyl
 - Chlorpyrifos
 - Demeton-S
 - Diazinon
 - o Dimethoate
 - Fenitrothion
 - Malathion

If a sample returns detectable concentrations of the analytes presented in Table 1, additional analyses may be required to enable comparison against additional trigger criteria or trace potential sources of contaminants. It is cost prohibitive to analyse these parameters unless required.

Table 1 Additional Analysis Requirements

Analyte	Additional Analysis
Total Recoverable Hydrocarbons	TRH Silica-gel Clean-up
Arsenic (filtered)	Arsenic (III) (filtered) Arsenic (V) (filtered)
Chromium (filtered)	Chromium (CrVI) (filtered)

PAGE 10 OF 11





, I

Appendix D. Chain of Custody Form

[Copyright and C	Confidential)	СНА	IN OF	CUSTO	DY	- C	lien	nt			-				1	2 Ashle		tswood,	, NSW 20	
ENVIROLE		ENVIE	ROLAB GR		nal ph	опет	number	r 130	0 424	344				Ph: 02 9910 6200 / sydney@envirolab.com.au <u>Perth Lab</u> - MPL Laboratories 16-18 Hayden Crt, Myaree, WA 6154						
Client: Ecoteam					Client	Projec	t Name /	/ Numt	oer / Si	ite etc	(ie rep	ort title	e):		Ph: 08 9317 2505 / lab@mpl.com.au					n.av
Contact Person:						5	SMC009.3	33 - Tv	veed_Va	alley H	ospital	Projec	t						ab Servic	
Project Mgr:					PO No	.:														h, VIC 3136 envirolab.com.au
Sampler: Jef				v	Enviro	lab Qu	iote No. :				195722	8_Rev 1	l						-	
Address: 13 Ewi	ng Street				Date r	results	required	1:											ab Servic I, SA 506	
Lismore NSW 24	-				Or cho	ose: s	standard	/ same	e dav /	1 dav	/ 2 day	/ 3 da	av.							virolab.com.au
							lab in adva	-					-	ges	B	risbane	Office -	Envirola	ab Servic	es -
					apply	1					,				Brisbane Office - Envirolab Services 20a, 10-20 Depot St, Banyo, QLD 4014 Ph: 07 3266 9532 / brisbane@envirolab.com.au				4014	
Phone:	02 6621 5123	Mob:			<u> </u>		eport for	nat: e	suat /	equis /									_	
Email:						ommer			.	L		- · · -) Service rimah, N	
	Testing requirements - C	blorophyll	a <4 mg/m3 T	otal Phosphorus			As, B, Cd, g. Please													rolab.com.au
	<0.025 mg/L, Silver <						ts are ba													
	_	formation																		
						5												Γ		
Envirolab Sample ID	Client Sample ID or information	Depth	Date sampled	<u>Type of sample</u>	TRH/BTEXN	Dissolved Metals	OC/OP + toxaphene + demeton	TSS	SQT	Cations + Hardness	Ammonia	Cholorphyll-a	Phosphate (FRP)	Nitrate	XON	Total N	Total P	Cr6+- HOLD	ASIII & V - HOLD	Provide as much information about the sample as you can
1	001 - USW	300 mm	L	Water	x	x	x	х	х	x	x	х	X	Х	х	x	x		<u> </u>	
2	002 - USNW	150 mm	ו	<u>Water</u>	X	X	X	X	х	Х	X	X	X	X	Ň	X	X			
• 3	003 - DSE	300 mm	1	Water	X	X	X	Х	Х	Х	Х	Х	Х	Х	Х	X	X			
- ¥	005 - Dam Drain	150 mm		Water	X	X	X	Х	х	X	X	х	х	Х	Х	X	X			
	013	300 mm		Water	X	X	X ·	X	X	X	X	X	X	X	X	X	X		1	\
6	014	300 mm		Water	X	X	x	X	X	x	X	X	X	X	X	X	X			··
~7	015	300 mm		Water	Î	x	x	x	x	x	Î	x	x	x	x	x	Î	<u> </u>	+	
7	013	200 1111	<u> </u>	<u>vvalei</u>	<u> </u>	+ ^	<u> </u>	^	<u> </u>	-^-	<u>^</u>	· ^ -	-	<u> </u>		<u>⊢.^.</u>	<u>⊢</u> ^		╀──	
		-																		
																	L		 	·
																	L		ļ	
																L				
	Please tick the box i	if observ	ed settled s	ediment pres	ent i	n wa	ter sar	mple.	s is t	o be	inclu	ıded	in th	e ex	tract	ion a	nd/o	r ana	alysis	S
Relinquished by		Ecoteam		Received by (Com		FL								_			b Use		-	
	7																			
Print Name:		- -		Print Name:							Job n	umber	r: 2	940	2.14		Cooli	ngr Io	ce μ c	e pack None
Print Name: Date & Time:	21/04/2022			Print Name: Date & Time:								umbe: eratu		<u>944</u> 18"						act / Broken / None

.

Form 302_V004

^. ₋

. .



Appendix E. Summary of Lab Results compared to WQOs

		Water Objec (WQ	tives			S	ample Co	des	6		
Analyte	Unit		-	WC	NWC	EC	DD		013	014	015
•		Estuary	Fresh Water	001	002	003	005		Trip	Field	Duplicate
Total Suspended Solids (TSS)	mg/L	N/A	N/A	8	11	<5	<5		<5	<5	6
Total Dissolved Solids (TDS)	mg/L	N/A	N/A	390	330	170	160		<5	<5	350
	<u> </u>	Ма	jor Cati	ons (dis	solved)	and Ha	ardness			ļ	
Sodium	mg/L	N/A	N/A	39	42	19	18		<0.5	<0.5	47
Potassium	mg/L	N/A	N/A	3	3	0.8	1		<0.5	<0.5	3
Calcium	mg/L	N/A	N/A	38	25	9.7	3		<0.5	<0.5	25
Magnesium	mg/L	N/A	N/A	10	8.6	3	4		<0.5	<0.5	8.7
Hardness mgCa	aCO ₃ /L	N/A	N/A	140	98	36	24		<3	<3	97
		<u>I</u>	<u>.</u>	Νι	itrients		<u>,</u>	<u> </u>		<u></u>	
Ammonia	mg/L	0.015	0.02	0.088	0.21	<0.005	0.014		<0.005	<0.005	0.22
Chlorophyll-a	mg/m ³	4	5	4	4	<2	<2		<2	<2	<2
Filterable Reactive Phosphorus	mg/L	0.005	0.02	<0.005	0.005	0.01	<0.005		<0.005	<0.005	0.006
Nitrate	mg/L	N/A	N/A	0.23	0.55	<0.005	3.4		<0.005	<0.005	0.80
Oxides of Nitrogen	mg/L	0.015	0.040	0.2	0.55	<0.005	3.5	-	<0.005	<0.005	0.80
Total Nitrogen	mg/L	0.30	0.35	0.7	1.8	0.9	5.1		<0.1	<0.1	1.8
Total Phosphorus	mg/L	0.030	0.025	0.06	0.04	0.03	<0.02		<0.02	<0.02	0.06
		Me	tals – A	II metal	s are Di	ssolved	Metals	<u> </u>		I	
Aluminium	µg/L	N/A	55	20	90	260	20		<10	<10	70
Arsenic	µg/L	N/A	13	<1	<1	1	<1		<1	<1	<1
Boron	µg/L	N/A	370	80	80	40	50		<20	<20	80
Cadmium	µg/L	5.5	0.2	<0.1	<0.1	<0.1	<0.1		<0.1	<0.1	<0.1
Chromium	µg/L	4.4	1.0	<1	<1	<1	<1		<1	<1	<1
Copper	µg/L	1.3	1.4	<1	<1	<1	<1		<1	<1	<1
Cobalt	µg/L	1.0	N/A	<1	<1	<1	<1		<1	<1	<1
Lead	µg/L	4.4	3.4	<1	<1	<1	<1		<1	<1	<1
Manganese	µg/L	N/A	1,900	240	140	28	38		<1	<1	140
Mercury	µg/L	0.4	0.6	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.05
Nickel	µg/L	70	11	<1	<1	<1	<1		<1	<1	<1
Selenium	µg/L	N/A	11	<1	<1	<1	<1		<1	<1	<1
Zinc	µg/L	15	8.0	2	2	4	2		<1	<1	1
Silver	µg/L	1.4	0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.05



natara oblatione for entirential entailengee	natural	solutions	for	environmental	challenges	
--	---------	-----------	-----	---------------	------------	--

		Water Objec (WC				S	ample Co	des	5		
Analyte	Unit	Fataama	Fresh	WC	NWC	EC	DD		013	014	015
		Estuary	Water	001	002	003	005		Trip	Field	Duplicate
Hydrocarbor	าร	,		,	,		•	,	,		
Toluene	mg/L	0.70	0.95	<1	<1	<1	<1		<1	<1	<1
Ethylbenzene	mg/L	N/A	N/A	<1	<1	<1	<1		<1	<1	<1
Xylene	mg/L	N/A	N/A	<1	<1	<1	<1		<1	<1	<1
Naphthalene	mg/L	N/A	0.55	<1	<1	<1	<1		<1	<1	<1
TRH C ₆ - C ₁₀	mg/L	0.07	0.016	<10	<10	<10	<10		<10	<10	<10
TRH C ₁₀ - C ₁₆	mg/L	N/A	N/A	<50	<50	<50	<50		<50	64	<50
TRH C ₁₆ - C ₃₄	mg/L	N/A	N/A	<100	<100	<100	<100		<100	<100	<100
TRH >C ₃₄ - C ₄₀	mg/L	N/A	N/A	<100	<100	<100	<100		<100	<100	<100
TRH C_6 - C_{10} less BTEX (F1)	mg/L	N/A	N/A	<10	<10	<10	<10		<10	<10	<10
TRH >C ₁₀ -C ₁₆ less Naphthalene (F2)	mg/L	N/A	N/A	<50	<50	<50	<50		<50	<50	<50
Organochlor	ine Pe	sticides	6 (OCP)								
4.4'-DDE	µg/L	N/A	N/A	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
4.4'-DDT	µg/L	N/A	0.01	<0.006	<0.006	<0.006	<0.006		<0.006	<0.006	<0.006
Aldrin	µg/L	N/A	N/A	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
g-BHC	µg/L	N/A	0.2	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Chlordane	µg/L	N/A	0.08	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Dieldrin	µg/L	N/A	N/A	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Endosulfan	µg/L	0.01	0.2	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Endrin	µg/L	0.02	0.008	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Heptachlor	µg/L	N/A	0.09	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Toxaphene	µg/L	N/A	0.2	<0.2	<0.2	<0.2	<0.2		<0.2	<0.2	<0.2
Organophos	phoru	s Pestic	ides (O	PP)							
Azinphos- methyl	µg/L	N/A	0.02	<0.02	<0.02	<0.02	<0.02		<0.02	<0.02	<0.02
Chlorpyriphos	µg/L	0.009	0.01	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Demeton-S	µg/L	N/A	N/A	<0.2	<0.2	<0.2	<0.2		<0.2	<0.2	<0.2
Diazinon	µg/L	N/A	0.01	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01	<0.01
Dimethoate	µg/L	N/A	0.15	<0.15	<0.15	<0.15	<0.15		<0.15	<0.15	<0.15
Fenitrothion	µg/L	N/A	0.2	<0.2	<0.2	<0.2	<0.2		<0.2	<0.2	<0.2
Malathion	µg/L	N/A	0.05	<0.05	<0.05	<0.05	<0.05		<0.05	<0.05	<0.05
	L			1	L				1	1	L



Appendix F. Full Laboratory Results



CERTIFICATE OF ANALYSIS 294074

Client Details	
Client	Ecoteam
Attention	
Address	13 Ewing Street, Lismore, NSW, 2480

Sample Details	
Your Reference	SMC009.34 - Tweed Valley Hospital Project
Number of Samples	7 Water
Date samples received	26/04/2022
Date completed instructions received	26/04/2022

Analysis Details

Please refer to the following pages for results, methodology summary and quality control data.

Samples were analysed as received from the client. Results relate specifically to the samples as received.

Results are reported on a dry weight basis for solids and on an as received basis for other matrices.

Please refer to the last page of this report for any comments relating to the results.

Report Details				
Date results requested by	03/05/2022			
Date of Issue	03/05/2022			
NATA Accreditation Number 2901. This document shall not be reproduced except in full.				
Accredited for compliance with ISO/IEC 17025 - Testing. Tests not covered by NATA are denoted with *				





vTRH(C6-C10)/BTEXN in Water						
Our Reference		294074-1	294074-2	294074-3	294074-4	294074-5
Your Reference	UNITS	001-USW	002 - USNW	003 - DSE	005 - Dam Drain	013
Depth		300	150	300	150	300
Type of sample		Water	Water	Water	Water	Water
Date extracted	-	26/04/2022	26/04/2022	26/04/2022	26/04/2022	26/04/2022
Date analysed	-	26/04/2022	26/04/2022	26/04/2022	26/04/2022	26/04/2022
TRH C6 - C9	µg/L	<10	<10	<10	<10	<10
TRH C ₆ - C ₁₀	µg/L	<10	<10	<10	<10	<10
TRH C ₆ - C ₁₀ less BTEX (F1)	µg/L	<10	<10	<10	<10	<10
Benzene	µg/L	<1	<1	<1	<1	<1
Toluene	µg/L	<1	<1	<1	<1	<1
Ethylbenzene	µg/L	<1	<1	<1	<1	<1
m+p-xylene	µg/L	<2	<2	<2	<2	<2
o-xylene	μg/L	<1	<1	<1	<1	<1
Naphthalene	µg/L	<1	<1	<1	<1	<1
Surrogate Dibromofluoromethane	%	106	106	107	106	106
Surrogate toluene-d8	%	98	99	100	99	98
Surrogate 4-BFB	%	96	99	100	98	96

vTRH(C6-C10)/BTEXN in Water			
Our Reference		294074-6	294074-7
Your Reference	UNITS	014	015
Depth		300	300
Type of sample		Water	Water
Date extracted	-	26/04/2022	26/04/2022
Date analysed	-	26/04/2022	26/04/2022
TRH C ₆ - C ₉	µg/L	<10	<10
TRH C ₆ - C ₁₀	µg/L	<10	<10
TRH C_6 - C_{10} less BTEX (F1)	μg/L	<10	<10
Benzene	μg/L	<1	<1
Toluene	μg/L	<1	<1
Ethylbenzene	μg/L	<1	<1
m+p-xylene	μg/L	<2	<2
o-xylene	μg/L	<1	<1
Naphthalene	μg/L	<1	<1
Surrogate Dibromofluoromethane	%	105	107
Surrogate toluene-d8	%	99	99
Surrogate 4-BFB	%	97	97

svTRH (C10-C40) in Water						
Our Reference		294074-1	294074-2	294074-3	294074-4	294074-5
Your Reference	UNITS	001-USW	002 - USNW	003 - DSE	005 - Dam Drain	013
Depth		300	150	300	150	300
Type of sample		Water	Water	Water	Water	Water
Date extracted	-	28/04/2022	28/04/2022	28/04/2022	28/04/2022	28/04/2022
Date analysed	-	29/04/2022	29/04/2022	29/04/2022	29/04/2022	29/04/2022
TRH C ₁₀ - C ₁₄	µg/L	<50	<50	<50	<50	<50
TRH C15 - C28	µg/L	<100	<100	<100	<100	<100
TRH C ₂₉ - C ₃₆	μg/L	<100	<100	<100	<100	<100
TRH >C ₁₀ - C ₁₆	µg/L	<50	<50	<50	<50	<50
TRH >C10 - C16 less Naphthalene (F2)	μg/L	<50	<50	<50	<50	<50
TRH >C ₁₆ - C ₃₄	µg/L	<100	<100	<100	<100	<100
TRH >C ₃₄ - C ₄₀	µg/L	<100	<100	<100	<100	<100
Surrogate o-Terphenyl	%	95	85	88	90	80

svTRH (C10-C40) in Water			
Our Reference		294074-6	294074-7
Your Reference	UNITS	014	015
Depth		300	300
Type of sample		Water	Water
Date extracted	-	28/04/2022	28/04/2022
Date analysed	-	29/04/2022	29/04/2022
TRH C ₁₀ - C ₁₄	µg/L	<50	<50
TRH C ₁₅ - C ₂₈	µg/L	<100	<100
TRH C ₂₉ - C ₃₆	µg/L	<100	<100
TRH >C ₁₀ - C ₁₆	µg/L	<50	<50
TRH >C ₁₀ - C ₁₆ less Naphthalene (F2)	µg/L	<50	<50
TRH >C16 - C34	µg/L	<100	<100
TRH >C ₃₄ - C ₄₀	µg/L	<100	<100
Surrogate o-Terphenyl	%	86	88

OCPs in Water - Low Level						
Our Reference		294074-1	294074-2	294074-3	294074-4	294074-5
Your Reference	UNITS	001-USW	002 - USNW	003 - DSE	005 - Dam Drain	013
Depth		300	150	300	150	300
Type of sample		Water	Water	Water	Water	Water
Date extracted	-	28/04/2022	28/04/2022	28/04/2022	28/04/2022	28/04/2022
Date analysed	-	28/04/2022	28/04/2022	28/04/2022	28/04/2022	28/04/2022
alpha-BHC	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
НСВ	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
beta-BHC	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
gamma-BHC	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Heptachlor	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
delta-BHC	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Aldrin	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Heptachlor Epoxide	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
gamma-Chlordane	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
alpha-Chlordane	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Endosulfan I	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
pp-DDE	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Dieldrin	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Endrin	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Endosulfan II	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
pp-DDD	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Endrin Aldehyde	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
pp-DDT	µg/L	<0.006	<0.006	<0.006	<0.006	<0.006
Endosulfan Sulphate	μg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Methoxychlor	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Surrogate TCMX	%	102	97	97	99	92

OCPs in Water - Low Level			
Our Reference		294074-6	294074-7
Your Reference	UNITS	014	015
Depth		300	300
Type of sample		Water	Water
Date extracted	-	28/04/2022	28/04/2022
Date analysed	-	28/04/2022	28/04/2022
alpha-BHC	µg/L	<0.01	<0.01
НСВ	µg/L	<0.01	<0.01
beta-BHC	µg/L	<0.01	<0.01
gamma-BHC	µg/L	<0.01	<0.01
Heptachlor	µg/L	<0.01	<0.01
delta-BHC	µg/L	<0.01	<0.01
Aldrin	µg/L	<0.01	<0.01
Heptachlor Epoxide	µg/L	<0.01	<0.01
gamma-Chlordane	µg/L	<0.01	<0.01
alpha-Chlordane	µg/L	<0.01	<0.01
Endosulfan I	µg/L	<0.01	<0.01
pp-DDE	µg/L	<0.01	<0.01
Dieldrin	µg/L	<0.01	<0.01
Endrin	µg/L	<0.01	<0.01
Endosulfan II	µg/L	<0.01	<0.01
pp-DDD	µg/L	<0.01	<0.01
Endrin Aldehyde	µg/L	<0.01	<0.01
pp-DDT	µg/L	<0.006	<0.006
Endosulfan Sulphate	µg/L	<0.01	<0.01
Methoxychlor	µg/L	<0.01	<0.01
Surrogate TCMX	%	96	93

OP in water LL ANZECCF/ADWG						
Our Reference		294074-1	294074-2	294074-3	294074-4	294074-5
Your Reference	UNITS	001-USW	002 - USNW	003 - DSE	005 - Dam Drain	013
Depth		300	150	300	150	300
Type of sample		Water	Water	Water	Water	Water
Date extracted	-	28/04/2022	28/04/2022	28/04/2022	28/04/2022	28/04/2022
Date analysed	-	28/04/2022	28/04/2022	28/04/2022	28/04/2022	28/04/2022
Dichlorovos	µg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Dimethoate	µg/L	<0.15	<0.15	<0.15	<0.15	<0.15
Diazinon	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Chlorpyriphos-methyl	µg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Methyl Parathion	µg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Ronnel	µg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Fenitrothion	µg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Malathion	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
Chlorpyriphos	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Parathion	µg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Bromophos ethyl	μg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Ethion	µg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Azinphos-methyl (Guthion)	µg/L	<0.02	<0.02	<0.02	<0.02	<0.02
Surrogate TCMX	%	102	97	97	99	92

OP in water LL ANZECCF/ADWG			
Our Reference		294074-6	294074-7
Your Reference	UNITS	014	015
Depth		300	300
Type of sample		Water	Water
Date extracted	-	28/04/2022	28/04/2022
Date analysed	-	28/04/2022	28/04/2022
Dichlorovos	µg/L	<0.2	<0.2
Dimethoate	µg/L	<0.15	<0.15
Diazinon	µg/L	<0.01	<0.01
Chlorpyriphos-methyl	µg/L	<0.2	<0.2
Methyl Parathion	µg/L	<0.2	<0.2
Ronnel	µg/L	<0.2	<0.2
Fenitrothion	µg/L	<0.2	<0.2
Malathion	µg/L	<0.05	<0.05
Chlorpyriphos	µg/L	<0.01	<0.01
Parathion	µg/L	<0.01	<0.01
Bromophos ethyl	μg/L	<0.2	<0.2
Ethion	μg/L	<0.2	<0.2
Azinphos-methyl (Guthion)	μg/L	<0.02	<0.02
Surrogate TCMX	%	96	93

Miscellaneous Organics - water				_		
Our Reference		294074-1	294074-2	294074-3	294074-4	294074-5
Your Reference	UNITS	001-USW	002 - USNW	003 - DSE	005 - Dam Drain	013
Depth		300	150	300	150	300
Type of sample		Water	Water	Water	Water	Water
Date prepared	-	28/04/2022	28/04/2022	28/04/2022	28/04/2022	28/04/2022
Date analysed	-	29/04/2022	29/04/2022	29/04/2022	29/04/2022	29/04/2022
Toxaphene*	μg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Demeton-O	μg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Demeton-S	μg/L	<5	<5	<5	<5	<5
Surrogate p-Terphenyl-d ₁₄	%	77	66	78	71	60

Miscellaneous Organics - water			
Our Reference		294074-6	294074-7
Your Reference	UNITS	014	015
Depth		300	300
Type of sample		Water	Water
Date prepared	-	28/04/2022	28/04/2022
Date analysed	-	29/04/2022	29/04/2022
Toxaphene*	μg/L	<0.2	<0.2
Demeton-O	μg/L	<0.2	<0.2
Demeton-S	μg/L	<5	<5
Surrogate p-Terphenyl-d ₁₄	%	75	74

HM in water - dissolved						
Our Reference		294074-1	294074-2	294074-3	294074-4	294074-5
Your Reference	UNITS	001-USW	002 - USNW	003 - DSE	005 - Dam Drain	013
Depth		300	150	300	150	300
Type of sample		Water	Water	Water	Water	Water
Date prepared	-	28/04/2022	28/04/2022	28/04/2022	28/04/2022	28/04/2022
Date analysed	-	28/04/2022	28/04/2022	28/04/2022	28/04/2022	28/04/2022
Aluminium-Dissolved	µg/L	20	90	260	20	<10
Arsenic-Dissolved	µg/L	<1	<1	1	<1	<1
Boron-Dissolved	µg/L	80	80	40	50	<20
Cadmium-Dissolved	µg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Chromium-Dissolved	µg/L	<1	<1	<1	<1	<1
Copper-Dissolved	µg/L	<1	<1	<1	<1	<1
Cobalt-Dissolved	µg/L	<1	<1	<1	<1	<1
Lead-Dissolved	µg/L	<1	<1	<1	<1	<1
Manganese-Dissolved	µg/L	240	140	28	38	<1
Mercury-Dissolved	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05
Nickel-Dissolved	µg/L	<1	<1	<1	<1	<1
Selenium-Dissolved	µg/L	<1	<1	<1	<1	<1
Zinc-Dissolved	µg/L	2	2	4	2	<1
Silver-Dissolved	µg/L	<0.05	<0.05	<0.05	<0.05	<0.05

HM in water - dissolved			
Our Reference		294074-6	294074-7
Your Reference	UNITS	014	015
Depth		300	300
Type of sample		Water	Water
Date prepared	-	28/04/2022	28/04/2022
Date analysed	-	28/04/2022	28/04/2022
Aluminium-Dissolved	µg/L	<10	70
Arsenic-Dissolved	µg/L	<1	<1
Boron-Dissolved	µg/L	<20	80
Cadmium-Dissolved	µg/L	<0.1	<0.1
Chromium-Dissolved	µg/L	<1	<1
Copper-Dissolved	µg/L	<1	<1
Cobalt-Dissolved	µg/L	<1	<1
Lead-Dissolved	µg/L	<1	<1
Manganese-Dissolved	µg/L	<1	140
Mercury-Dissolved	µg/L	<0.05	<0.05
Nickel-Dissolved	μg/L	<1	<1
Selenium-Dissolved	µg/L	<1	<1
Zinc-Dissolved	μg/L	<1	1
Silver-Dissolved	µg/L	<0.05	<0.05

Metals in Waters - Acid extractable						
Our Reference		294074-1	294074-2	294074-3	294074-4	294074-5
Your Reference	UNITS	001-USW	002 - USNW	003 - DSE	005 - Dam Drain	013
Depth		300	150	300	150	300
Type of sample		Water	Water	Water	Water	Water
Date prepared	-	02/05/2022	02/05/2022	02/05/2022	02/05/2022	02/05/2022
Date analysed	-	03/05/2022	03/05/2022	03/05/2022	03/05/2022	03/05/2022
Phosphorus - Total	mg/L	0.06	0.04	0.03	<0.02	<0.02

Metals in Waters - Acid extractable			
Our Reference		294074-6	294074-7
Your Reference	UNITS	014	015
Depth		300	300
Type of sample		Water	Water
Date prepared	-	02/05/2022	02/05/2022
Date analysed	-	03/05/2022	03/05/2022
Phosphorus - Total	mg/L	<0.02	0.06

Cations in water Dissolved						
Our Reference		294074-1	294074-2	294074-3	294074-4	294074-5
Your Reference	UNITS	001-USW	002 - USNW	003 - DSE	005 - Dam Drain	013
Depth		300	150	300	150	300
Type of sample		Water	Water	Water	Water	Water
Date digested	-	27/04/2022	27/04/2022	27/04/2022	27/04/2022	27/04/2022
Date analysed	-	27/04/2022	27/04/2022	27/04/2022	27/04/2022	27/04/2022
Sodium - Dissolved	mg/L	39	42	19	18	<0.5
Potassium - Dissolved	mg/L	3	3	0.8	1	<0.5
Calcium - Dissolved	mg/L	38	25	9.7	3	<0.5
Magnesium - Dissolved	mg/L	10	8.6	3	4	<0.5
Hardness	mgCaCO 3 /L	140	98	36	24	<3

Cations in water Dissolved			
Our Reference		294074-6	294074-7
Your Reference	UNITS	014	015
Depth		300	300
Type of sample		Water	Water
Date digested	-	27/04/2022	27/04/2022
Date analysed	-	27/04/2022	27/04/2022
Sodium - Dissolved	mg/L	<0.5	47
Potassium - Dissolved	mg/L	<0.5	3
Calcium - Dissolved	mg/L	<0.5	25
Magnesium - Dissolved	mg/L	<0.5	8.7
Hardness	mgCaCO 3 /L	<3	97

Miscellaneous Inorganics						
Our Reference		294074-1	294074-2	294074-3	294074-4	294074-5
Your Reference	UNITS	001-USW	002 - USNW	003 - DSE	005 - Dam Drain	013
Depth		300	150	300	150	300
Type of sample		Water	Water	Water	Water	Water
Date prepared	-	26/04/2022	26/04/2022	26/04/2022	26/04/2022	26/04/2022
Date analysed	-	26/04/2022	26/04/2022	26/04/2022	26/04/2022	26/04/2022
Total Suspended Solids	mg/L	8	11	<5	<5	<5
Total Dissolved Solids (grav)	mg/L	390	330	170	160	<5
Ammonia as N in water	mg/L	0.088	0.21	<0.005	0.014	<0.005
Chlorophyll a	mg/m ³	4	4	<2	<2	<2
Phosphate as P in water	mg/L	<0.005	0.005	0.01	<0.005	<0.005
Nitrate as N in water	mg/L	0.23	0.55	<0.005	3.4	<0.005
NOx as N in water	mg/L	0.2	0.55	<0.005	3.5	<0.005
Total Nitrogen in water	mg/L	0.7	1.8	0.9	5.1	<0.1

Miscellaneous Inorganics			
Our Reference		294074-6	294074-7
Your Reference	UNITS	014	015
Depth		300	300
Type of sample		Water	Water
Date prepared	-	26/04/2022	26/04/2022
Date analysed	-	26/04/2022	26/04/2022
Total Suspended Solids	mg/L	<5	6
Total Dissolved Solids (grav)	mg/L	<5	350
Ammonia as N in water	mg/L	<0.005	0.22
Chlorophyll a	mg/m ³	<2	<2
Phosphate as P in water	mg/L	<0.005	0.006
Nitrate as N in water	mg/L	<0.005	0.80
NOx as N in water	mg/L	<0.005	0.80
Total Nitrogen in water	mg/L	<0.1	1.8

Method ID	Methodology Summary
Inorg-018	Total Dissolved Solids - determined gravimetrically. The solids are dried at 180+/-10°C.
Inorg-019	Suspended Solids - determined gravimetricially by filtration of the sample. The samples are dried at 104+/-5°C.
Inorg-055	Nitrate - determined colourimetrically. Waters samples are filtered on receipt prior to analysis. Soils are analysed following a water extraction.
Inorg-055/062/127	Total Nitrogen - Calculation sum of TKN and oxidised Nitrogen. Alternatively analysed by combustion and chemiluminescence.
Inorg-057	Ammonia - determined colourimetrically, based on APHA latest edition 4500-NH3 F. Waters samples are filtered on receipt prior to analysis. Soils are analysed following a KCI extraction.
Inorg-060	Phosphate determined colourimetrically based on EPA365.1 and APHA latest edition 4500 P E. Waters samples are filtered on receipt prior to analysis. Soils are analysed following a water extraction.
INORG-119	Chlorophyll A based on APHA 10200 H latest edition.
Metals-020	Determination of various metals by ICP-AES.
Metals-021	Determination of Mercury by Cold Vapour AAS.
Metals-022	Determination of various metals by ICP-MS.
Org-020	Soil samples are extracted with Dichloromethane/Acetone and waters with Dichloromethane and analysed by GC-FID. F2 = (>C10-C16)-Naphthalene as per NEPM B1 Guideline on Investigation Levels for Soil and Groundwater (HSLs Tables 1A (3, 4)). Note Naphthalene is determined from the VOC analysis.
Org-022	Determination of VOCs sampled onto coconut shell charcoal sorbent tubes, that can be desorbed using carbon disulphide, and analysed by GC-MS.
Org-022/025	Soil samples are extracted with Dichloromethane/Acetone and waters with Dichloromethane and analysed by GC-MS/GC-MSMS.
Org-022/025	Soil samples are extracted with Dichloromethane/Acetone and waters with Dichloromethane and analysed by GC-MS/GC-MSMS.
Org-023	Water samples are analysed directly by purge and trap GC-MS.
Org-023	Soil samples are extracted with methanol and spiked into water prior to analysing by purge and trap GC-MS. Water samples are analysed directly by purge and trap GC-MS. F1 = (C6-C10)-BTEX as per NEPM B1 Guideline on Investigation Levels for Soil and Groundwater.

QUALITY CONTR	ROL: vTRH((C6-C10)/E	BTEXN in Water		Duplicate				Spike Recovery %	
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W2	[NT]
Date extracted	-			26/04/2022	2	26/04/2022	28/04/2022		26/04/2022	
Date analysed	-			26/04/2022	2	26/04/2022	28/04/2022		26/04/2022	
TRH C ₆ - C ₉	µg/L	10	Org-023	<10	2	<10	<10	0	94	
TRH C ₆ - C ₁₀	µg/L	10	Org-023	<10	2	<10	<10	0	94	
Benzene	μg/L	1	Org-023	<1	2	<1	<1	0	96	
Toluene	µg/L	1	Org-023	<1	2	<1	<1	0	94	
Ethylbenzene	µg/L	1	Org-023	<1	2	<1	<1	0	92	
m+p-xylene	µg/L	2	Org-023	<2	2	<2	<2	0	95	
o-xylene	µg/L	1	Org-023	<1	2	<1	<1	0	92	
Naphthalene	µg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Surrogate Dibromofluoromethane	%		Org-023	108	2	106	97	9	113	
Surrogate toluene-d8	%		Org-023	99	2	99	98	1	101	
Surrogate 4-BFB	%		Org-023	97	2	99	101	2	94	

QUALITY CON	TROL: svTF	RH (C10-0	C40) in Water			Duplicate Spike Recov			covery %	
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W2	[NT]
Date extracted	-			28/04/2022	[NT]		[NT]	[NT]	28/04/2022	
Date analysed	-			29/04/2022	[NT]		[NT]	[NT]	29/04/2022	
TRH C ₁₀ - C ₁₄	µg/L	50	Org-020	<50	[NT]		[NT]	[NT]	94	
TRH C ₁₅ - C ₂₈	µg/L	100	Org-020	<100	[NT]		[NT]	[NT]	89	
TRH C ₂₉ - C ₃₆	µg/L	100	Org-020	<100	[NT]		[NT]	[NT]	94	
TRH >C ₁₀ - C ₁₆	µg/L	50	Org-020	<50	[NT]		[NT]	[NT]	94	
TRH >C ₁₆ - C ₃₄	µg/L	100	Org-020	<100	[NT]		[NT]	[NT]	89	
TRH >C ₃₄ - C ₄₀	µg/L	100	Org-020	<100	[NT]		[NT]	[NT]	94	
Surrogate o-Terphenyl	%		Org-020	94	[NT]	[NT]	[NT]	[NT]	115	[NT]

QUALITY (ONTROL: OCF	s in Wate	er - Low Level			Duplicate			Spike Recovery %		
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W1	[NT]	
Date extracted	-			28/04/2022	[NT]		[NT]	[NT]	28/04/2022		
Date analysed	-			28/04/2022	[NT]		[NT]	[NT]	28/04/2022		
alpha-BHC	µg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	92		
НСВ	µg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]		
beta-BHC	µg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	92		
gamma-BHC	µg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]		
Heptachlor	µg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	85		
delta-BHC	µg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]		
Aldrin	µg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	91		
Heptachlor Epoxide	µg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	88		
gamma-Chlordane	µg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]		
alpha-Chlordane	µg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]		
Endosulfan I	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]		
pp-DDE	µg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	90		
Dieldrin	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	94		
Endrin	µg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	98		
Endosulfan II	µg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]		
pp-DDD	µg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	90		
Endrin Aldehyde	µg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]		
pp-DDT	µg/L	0.006	Org-022	<0.006	[NT]		[NT]	[NT]	[NT]		
Endosulfan Sulphate	µg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	104		
Methoxychlor	µg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]		
Surrogate TCMX	%		Org-022/025	102	[NT]		[NT]	[NT]	89		

QUALITY CONTR	OL: OP in w	ater LL A	NZECCF/ADWG		Duplicate				Spike Recovery %	
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W1	[NT]
Date extracted	-			28/04/2022	[NT]		[NT]	[NT]	28/04/2022	
Date analysed	-			28/04/2022	[NT]		[NT]	[NT]	28/04/2022	
Dichlorovos	μg/L	0.2	Org-022/025	<0.2	[NT]		[NT]	[NT]	94	
Dimethoate	μg/L	0.15	Org-022/025	<0.15	[NT]		[NT]	[NT]	[NT]	
Diazinon	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	[NT]	
Chlorpyriphos-methyl	μg/L	0.2	Org-022/025	<0.2	[NT]		[NT]	[NT]	[NT]	
Methyl Parathion	μg/L	0.2	Org-022/025	<0.2	[NT]		[NT]	[NT]	[NT]	
Ronnel	μg/L	0.2	Org-022/025	<0.2	[NT]		[NT]	[NT]	97	
Fenitrothion	μg/L	0.2	Org-022/025	<0.2	[NT]		[NT]	[NT]	111	
Malathion	μg/L	0.05	Org-022/025	<0.05	[NT]		[NT]	[NT]	106	
Chlorpyriphos	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	114	
Parathion	μg/L	0.01	Org-022/025	<0.01	[NT]		[NT]	[NT]	107	
Bromophos ethyl	μg/L	0.2	Org-022/025	<0.2	[NT]		[NT]	[NT]	[NT]	
Ethion	μg/L	0.2	Org-022/025	<0.2	[NT]		[NT]	[NT]	109	
Azinphos-methyl (Guthion)	μg/L	0.02	Org-022/025	<0.02	[NT]		[NT]	[NT]	[NT]	
Surrogate TCMX	%		Org-022/025	102	[NT]		[NT]	[NT]	89	

QUALITY CONTR		Du	plicate	Spike Recovery %						
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W1	[NT]
Date prepared	-			28/04/2022	[NT]	[NT]		[NT]	28/04/2022	[NT]
Date analysed	-			29/04/2022	[NT]	[NT]		[NT]	29/04/2022	[NT]
Toxaphene*	µg/L	0.2	Org-022/025	<0.2	[NT]	[NT]		[NT]	[NT]	[NT]
Demeton-O	µg/L	0.2	Org-022/025	<0.2	[NT]	[NT]		[NT]	[NT]	[NT]
Demeton-S	µg/L	5	Org-022/025	<5	[NT]	[NT]		[NT]	[NT]	[NT]
Surrogate p-Terphenyl-d ₁₄	%		Org-022/025	81	[NT]	[NT]	[NT]	[NT]	70	[NT]

QUALITY CC	NTROL: HN	1 in water	- dissolved			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W2	294074-2
Date prepared	-			28/04/2022	1	28/04/2022	28/04/2022		28/04/2022	28/04/2022
Date analysed	-			28/04/2022	1	28/04/2022	28/04/2022		28/04/2022	28/04/2022
Aluminium-Dissolved	µg/L	10	Metals-022	<10	1	20	20	0	114	[NT]
Arsenic-Dissolved	µg/L	1	Metals-022	<1	1	<1	<1	0	99	[NT]
Boron-Dissolved	µg/L	20	Metals-022	<20	1	80	80	0	115	[NT]
Cadmium-Dissolved	µg/L	0.1	Metals-022	<0.1	1	<0.1	<0.1	0	104	[NT]
Chromium-Dissolved	µg/L	1	Metals-022	<1	1	<1	<1	0	92	[NT]
Copper-Dissolved	µg/L	1	Metals-022	<1	1	<1	<1	0	97	[NT]
Cobalt-Dissolved	µg/L	1	Metals-022	<1	1	<1	<1	0	95	[NT]
Lead-Dissolved	µg/L	1	Metals-022	<1	1	<1	<1	0	108	[NT]
Manganese-Dissolved	µg/L	1	Metals-022	<1	1	240	240	0	92	[NT]
Mercury-Dissolved	µg/L	0.05	Metals-021	<0.05	1	<0.05	<0.05	0	99	101
Nickel-Dissolved	µg/L	1	Metals-022	<1	1	<1	<1	0	96	[NT]
Selenium-Dissolved	µg/L	1	Metals-022	<1	1	<1	<1	0	98	[NT]
Zinc-Dissolved	µg/L	1	Metals-022	<1	1	2	1	67	88	[NT]
Silver-Dissolved	µg/L	0.05	Metals-022	<0.05	1	<0.05	<0.05	0	98	[NT]

QUALITY CONTROL: Metals in Waters - Acid extractable						Base Dup. RPD LCS-				ke Recovery %	
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W1	294074-2	
Date prepared	-			02/05/2022	5	02/05/2022	02/05/2022		02/05/2022	02/05/2022	
Date analysed	-			03/05/2022	5	03/05/2022	03/05/2022		03/05/2022	03/05/2022	
Phosphorus - Total	mg/L	0.02	Metals-020	<0.02	5	<0.02	<0.02	0	114	91	

QUALITY CON		Duplicate Spike Reco								
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W1	294074-2
Date digested	-			27/04/2022	1	27/04/2022	27/04/2022		27/04/2022	27/04/2022
Date analysed	-			27/04/2022	1	27/04/2022	27/04/2022		27/04/2022	27/04/2022
Sodium - Dissolved	mg/L	0.5	Metals-020	<0.5	1	39	39	0	96	103
Potassium - Dissolved	mg/L	0.5	Metals-020	<0.5	1	3	3	0	88	83
Calcium - Dissolved	mg/L	0.5	Metals-020	<0.5	1	38	37	3	85	80
Magnesium - Dissolved	mg/L	0.5	Metals-020	<0.5	1	10	10	0	86	82
Hardness	mgCaCO3/L	3	Metals-020	[NT]	1	140	130	7	[NT]	[NT]

QUALITY CO		Du	plicate		Spike Recovery %					
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W2	294074-2
Date prepared	-			26/04/2022	1	26/04/2022	26/04/2022		26/04/2022	26/04/2022
Date analysed	-			26/04/2022	1	26/04/2022	26/04/2022		26/04/2022	26/04/2022
Total Suspended Solids	mg/L	5	Inorg-019	<5	1	8	10	22	86	[NT]
Total Dissolved Solids (grav)	mg/L	5	Inorg-018	<5	1	390	350	11	119	[NT]
Ammonia as N in water	mg/L	0.005	Inorg-057	<0.005	1	0.088	0.086	2	115	87
Chlorophyll a	mg/m ³	2	INORG-119	<2	1	4	[NT]		86	[NT]
Phosphate as P in water	mg/L	0.005	Inorg-060	<0.005	1	<0.005	<0.005	0	111	[NT]
Nitrate as N in water	mg/L	0.005	Inorg-055	<0.005	1	0.23	0.22	4	108	103
NOx as N in water	mg/L	0.005	Inorg-055	<0.005	1	0.2	0.2	0	108	103
Total Nitrogen in water	mg/L	0.1	Inorg-055/062/127	<0.1	1	0.7	0.7	0	106	114

Result Definiti	Result Definitions						
NT	Not tested						
NA	Test not required						
INS	Insufficient sample for this test						
PQL	Practical Quantitation Limit						
<	Less than						
>	Greater than						
RPD	Relative Percent Difference						
LCS	Laboratory Control Sample						
NS	Not specified						
NEPM	National Environmental Protection Measure						
NR	Not Reported						

Quality Control Definitions							
Blank	This is the component of the analytical signal which is not derived from the sample but from reagents, glassware etc, can be determined by processing solvents and reagents in exactly the same manner as for samples.						
Duplicate	This is the complete duplicate analysis of a sample from the process batch. If possible, the sample selected should be one where the analyte concentration is easily measurable.						
Matrix Spike	A portion of the sample is spiked with a known concentration of target analyte. The purpose of the matrix spike is to monitor the performance of the analytical method used and to determine whether matrix interferences exist.						
LCS (Laboratory Control Sample)	This comprises either a standard reference material or a control matrix (such as a blank sand or water) fortified with analytes representative of the analyte class. It is simply a check sample.						
Surrogate Spike	Surrogates are known additions to each sample, blank, matrix spike and LCS in a batch, of compounds which						

Australian Drinking Water Guidelines recommend that Thermotolerant Coliform, Faecal Enterococci, & E.Coli levels are less than 1cfu/100mL. The recommended maximums are taken from "Australian Drinking Water Guidelines", published by NHMRC & ARMC 2011.

are similar to the analyte of interest, however are not expected to be found in real samples.

The recommended maximums for analytes in urine are taken from "2018 TLVs and BEIs", as published by ACGIH (where available). Limit provided for Nickel is a precautionary guideline as per Position Paper prepared by AIOH Exposure Standards Committee, 2016.

Guideline limits for Rinse Water Quality reported as per analytical requirements and specifications of AS 4187, Amdt 2 2019, Table 7.2

Laboratory Acceptance Criteria

Duplicate sample and matrix spike recoveries may not be reported on smaller jobs, however, were analysed at a frequency to meet or exceed NEPM requirements. All samples are tested in batches of 20. The duplicate sample RPD and matrix spike recoveries for the batch were within the laboratory acceptance criteria.

Filters, swabs, wipes, tubes and badges will not have duplicate data as the whole sample is generally extracted during sample extraction.

Spikes for Physical and Aggregate Tests are not applicable.

For VOCs in water samples, three vials are required for duplicate or spike analysis.

Duplicates: >10xPQL - RPD acceptance criteria will vary depending on the analytes and the analytical techniques but is typically in the range 20%-50% – see ELN-P05 QA/QC tables for details; <10xPQL - RPD are higher as the results approach PQL and the estimated measurement uncertainty will statistically increase.

Matrix Spikes, LCS and Surrogate recoveries: Generally 70-130% for inorganics/metals (not SPOCAS); 60-140% for organics/SPOCAS (+/-50% surrogates) and 10-140% for labile SVOCs (including labile surrogates), ultra trace organics and speciated phenols is acceptable.

In circumstances where no duplicate and/or sample spike has been reported at 1 in 10 and/or 1 in 20 samples respectively, the sample volume submitted was insufficient in order to satisfy laboratory QA/QC protocols.

When samples are received where certain analytes are outside of recommended technical holding times (THTs), the analysis has proceeded. Where analytes are on the verge of breaching THTs, every effort will be made to analyse within the THT or as soon as practicable.

Where sampling dates are not provided, Envirolab are not in a position to comment on the validity of the analysis where recommended technical holding times may have been breached.

Measurement Uncertainty estimates are available for most tests upon request.

Analysis of aqueous samples typically involves the extraction/digestion and/or analysis of the liquid phase only (i.e. NOT any settled sediment phase but inclusive of suspended particles if present), unless stipulated on the Envirolab COC and/or by correspondence. Notable exceptions include certain Physical Tests (pH/EC/BOD/COD/Apparent Colour etc.), Solids testing, total recoverable metals and PFAS where solids are included by default.

Samples for Microbiological analysis (not Amoeba forms) received outside of the 2-8°C temperature range do not meet the ideal cooling conditions as stated in AS2031-2012.

Report Comments

Samples received in good order: Broken Sample

Miscellaneous Organics - water - The recovery of LCS and matrix spike cannot be reported due to the fact they are not in the list of analytes requested. However, the non-reported analytes within the LCS and matrix spike had acceptable recoveries.